

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

### Thermostar Water Based Flexo Binder

Revision 2

Revision date 2015-07-03

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Thermostar Water Based Flexo Binder
--------------	-------------------------------------

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU7] Printing and reproduction of recorded media; [PC18] Ink and toners;
Description	Aqueous based ink containing acrylic resins.

##### 1.3. Details of the supplier of the safety data sheet

Company	Thermographic Measurements Ltd
Address	Riverside Buildings Dock Road Connah's Quay Flintshire CH5 4DS United Kingdom
Web	www.t-m-c.com
Telephone	+44 (0)1244 818348
Fax	+44 (0)1244 818502
Email	sales@t-m-c.com
Email address of the competent person	chrisc@t-m-com

##### 1.4. Emergency telephone number

Emergency telephone number	+44 (0)1244 818348 Hours 09.00 to 17.00
----------------------------	--

##### Intended use

Temperature measurement and thermal mapping.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard
--------------	-----------------------

##### 2.2. Label elements

Risk phrases	No Significant Hazard
--------------	-----------------------

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

##### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Isopropanol	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67	

## Thermostar Water Based Flexo Binder

Revision 2

Revision date 2015-07-03

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Isopropanol	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	

No hazardous components present.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## 6.4. Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

# Thermostar Water Based Flexo Binder

Revision 2

Revision date 2015-07-03

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store in correctly labelled containers. Store in a cool area but do not freeze.

## 7.3. Specific end use(s)

Ensure adequate ventilation of the working area.

## Suitable packaging

Plastic containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Isopropanol	WEL 8-hr limit ppm:	400	WEL 8-hr limit mg/m3:	999
	WEL 15 min limit ppm:	500	WEL 15 min limit mg/m3:	1250
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	White
Odour	Mild
pH	6.9 to 7.3
Initial boiling point	100
Flammability (solid, gas)	None flammable
Relative density	1.0-1.1
Oxidising properties	N/A

### Water solubility

Miscible in water.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No Significant Hazard.

### 10.2. Chemical stability

Stable under normal conditions.

# Thermostar Water Based Flexo Binder

Revision 2

Revision date 2015-07-03

## 10.3. Possibility of hazardous reactions

No Significant Hazard.

## 10.4. Conditions to avoid

No Significant Hazard.

## 10.5. Incompatible materials

No Significant Hazard.

## 10.6. Hazardous decomposition products

Burning produces obnoxious and irritating fumes.

## SECTION 11: Toxicological information

### 11.1.4. Toxicological Information

Isopropanol	Oral Rat LD50: 5000 mg/kg Dermal Rabbit LD50: 12800 mg/kg	Oral Mouse LD50: 3600 mg/kg
-------------	--	-----------------------------

### Further information

No data is available on this product.

## SECTION 12: Ecological information

### Further information

No constituent has yet been assigned a risk phrase pertaining to ecological effects (R50 to R59) or the symbol N.

## SECTION 13: Disposal considerations

### General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

### 14.1. UN number

The product is not classified as dangerous for carriage.

### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

### 14.4. Packing group

The product is not classified as dangerous for carriage.

### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

### Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Thermostar Water Based Flexo Binder

Revision 2

Revision date 2015-07-03

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Regulations</b>	<p>This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	---

### Further information

	For this product a chemical safety assessment was not carried out.
--	--

## SECTION 16: Other information

### Other information

<b>Revision</b>	<p>This document differs from the previous version in the following areas:</p> <ul style="list-style-type: none"> <li>1 - Product Use.</li> <li>3 - 3.1. Substances.</li> <li>4 - Inhalation.</li> <li>4 - Eye contact.</li> <li>4 - Skin contact.</li> <li>4 - Ingestion.</li> </ul>
<b>Text of risk phrases in Section 3</b>	<p>R11 - Highly flammable.</p> <p>R36 - Irritating to eyes.</p> <p>R67 - Vapours may cause drowsiness and dizziness.</p>
<b>Text of Hazard Statements in Section 3</b>	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p>

### Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
<b>HMIS LABELLING</b>	<p>All components are TSCA compliant.</p> <p>HEALTH 1, FLAMMABILITY 0, PHYSICAL HAZARD 0. PERSONAL PROTECTION : C.</p>